TECHNICAL DATA SHEET (TDS) WASTEPAPER BALE BREAKING SYSTEM

The following is submitted for your perusal when comparing the technical differences between OTHER CHINESE BRANDS and YUNDA MACHINERY, the BEST OPTION in China as per NMFC's professional opinion. The underlying chart offers comments and conclusions provided by an independent 3rd Party Mechanical Engineering Review (not affiliated with either Yunda or NMFC).

DETRASHER / POIRE (NOTE: MODEL#'S SUBJECT TO CHANGE)





- YUNDA OTHER CHINESE BRANDS

_

Contrastive content	YUNDA	FJLIME	Comparison
精浆室 Seminal plasma chamber	Removable	Can't be	Dismantling: easy maintenance and replacement of vulnerable parts
Chamber		disassembled	It is not removable: it needs to remove at least three pipes and valves when maintaining, so the maintenance efficiency is very low.
Transmission base	sliding type	Fixed type	Sliding type: convenient maintenance and maintenance



TECHNICAL DATA SHEET (TDS) WASTEPAPER BALE BREAKING SYSTEM





TECHNICAL DATA SHEET (TDS) WASTEPAPER BALE BREAKING SYSTEM

파号 Model	SBJ-12	SBJ-13	SBJ-14	SBJ-15
筛筒直径:(mm) Drum Diameter	Ф3000	Ф3250	Ф3500	Ф3750
筛孔规格:(mm) Hole size		Φ52	Ф25-Ф40	
处理能力(t/d) Handling Capacity	200-400	400-800	800-1200	1200-1600
配用功率(kW) Motor Power	37	37 or 30×2	30×2 or 37×2	37×2
进料块度:(mm) Material Dimension	<1200×1	<1200×1000×1000	<1400×1200×1200	200×1200
进料水份:(%) Moisture		•	<15	

